



Nonattainment Areas for the  
1997 Ozone Standard



Nonattainment Areas for the  
2008 Ozone Standard



		NSR Offset Ratio	Major Source Threshold	
<b>EXTREME</b> (20 years to attain)	TRAFFIC CONGESTION CONTROLS (if appropriate)	<b>1.5 : 1 Extreme</b>	<b>10 tpy</b>	
	CLEAN FUELS REQUIREMENT FOR BOILERS			
<b>SEVERE</b> (15/17 years to attain)	PENALTY FEE PROGRAM FOR MAJOR SOURCES	<b>1.3 : 1 Severe</b>	<b>25 tpy</b>	
	LOW VOC REFORMULATED GAS (as appropriate)			
	VMT GROWTH DEMONSTRATION (& TCMs if needed)			
	VMT DEMONSTRATION (& TCMs if needed)			
<b>SERIOUS</b> (9 years to attain)	NSR REQUIREMENTS FOR EXISTING SOURCE MODS	<b>1.2 : 1 Serious</b>	<b>50 tpy</b>	
	CLEAN FUELS PROGRAM (if applicable)			
	MODELED DEMO OF ATTAINMENT			MILESTONE DEMONSTRATIONS and CONTINGENCY MEASURES FOR RFP
	3% ANNUAL RFP UNTIL ATTAINMENT			ENHANCED I/M for larger population areas
	CONTINGENCY MEASURES FOR FAILURE TO ATTAIN			ENHANCED MONITORING PLAN
	Stage II Gasoline Vapor Recovery			BASIC VEHICLE I/M for larger population areas
	15% VOC ROP or 15% VOC/NOx RFP (OVER 6 YEARS)			
<b>MODERATE</b> (6 years to attain)	VOC/NOx RACT for MAJOR/CTG SOURCES	<b>1.15 : 1 Moderate</b>	<b>100 tpy</b>	
	ATTAINMENT DEMONSTRATION			
<b>MARGINAL</b> (3 years to attain)	NONATTAINMENT NEW SOURCE REVIEW PROGRAM	<b>1.1 : 1 Marginal</b>	<b>100 tpy</b>	
	BASELINE EMISSION INVENTORY (EI)			PERIODIC EMISSION INVENTORY UPDATES

NOTE: Transportation and General Conformity apply in all ozone nonattainment areas.

# Areas Designated as Nonattainment for the 2015 Ozone Standard

